



QUICK SHINE METAL POLISH – Part No. 230

Quick Identifier (In Plant Common Name)

Material Safety Data Sheet

Manufacturer's Name & Address
BLUE MAGIC, INC.
 1207 N. FM 3083 E.
 Conroe, TX 77303

HMIS Symbol:

Health	1
Flammability	2
Reactivity	0

HMIS	NFPA
Minimal 0	Insignificant
Slight 1	Slight
Moderate 2	Moderate
Serious 3	High
Severe 4	Extreme

NFPA Symbol:



Emergency Telephone No. (888) 522-2746

Date Prepared: October 14, 2010

Supersedes: NEW

SECTION 1 – IDENTITY

Common Name: (used on label) **QUICK SHINE METAL POLISH – Part No. 230**
(Trade name & Synonyms)

Chemical Name Mixture packaged in pressurized aerosol spray can.

SECTION 2 - HAZARDOUS INGREDIENTS

Principal Hazardous Component(s)	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Hydrotreated Light Distillates(petroleum)	64742-47-8	Not Est.	Not Est.	
Silicon Dioxide, Chemically Prepared	112945-52-5	-----	-----	20 millions of particles/cuft of air 0.8mg/m ³
Stoddard Solvent	8052-41-3	500 ppm	-----	
*Aluminum Oxide	1344-28-1	alpha alumina, 15 mg/m ³ total dust, 5 mg/m ³ respirable fraction	1 mg/m ³ respirable fraction (TWA) Aluminum metal and Insoluble compounds, A4	
1,3,5-trimethylbenzene	108-67-8	125 mg/m ³	25 ppm	25 ppm (mixed isomers)
1,2,4-trimethylbenzene	95-63-6	125 mg/m ³	25 ppm	25 ppm (mixed isomers)
Talc	14807-96-6	2mg/m ³ TWA (respirable dust)	2mg/m ³ TWA (respirable fraction)	
Propane	74-98-6	Unknown	1000 ppm	

SECTION 4 - FIRE & EXPLOSION DATA

Flammability (per flame projection)	NON-FLAMMABLE	Flammable Limits in Air (Propellants)	Lower N/A	Upper N/A	Extinguisher Media	Dry Chemical , CO₂, Foam
Special Fire Fighting Procedures	Keep containers cool using water spray. Use proper equipment to protect personnel from bursting containers. Use water spray only to cool containers exposed to flames. Do not enter enclosed or confined spaces without proper protective equipment. Fire fighting personnel should wear respiratory protection.					
Unusual Fire and Explosion Hazards	Contents under pressure. Do not expose to temperatures exceeding 120° F as containers may vent, rupture or burst.					

SECTION 5 - PHYSICAL HAZARDS

Stability Unstable Conditions Open Flames; Hazardous May Occur
Stable to Avoid Temp. > 120°F. Polymerization Will not Occur

Incompatibility (Materials to Avoid) Strong oxidizers

Hazardous Decomposition Products carbon monoxide and other asphyxiates

SECTION 6 - HEALTH HAZARDS

Routes of Entry Inhalation: Yes Eyes / Skin: Yes Ingestion: Unlikely

Signs and Symptoms of Exposure (Acute & Chronic) EYES: Acute irritation be expected; SKIN: Acute irritation is expected to occur upon short-term exposure, chronic dermatitis on prolonged contact; INGESTION: ACUTE ASPIRATION HAZARD. Symptoms may include headache, nausea, drowsiness, fatigue, pneumonitis, pulmonary edema, and central nervous system depression; INHALATION: May cause headache, nasal and respiratory irritation, nausea, drowsiness, breathlessness, fatigue, central nervous system depression, and convulsions

Medical Conditions Generally Aggravated by Exposure Pre-existing skin disorders

Chemical Listed as Carcinogen or Potential Carcinogen National Toxicology Program Yes No I.A.R.C. Monographs Yes No OSHA Yes No

Emergency and First Aid Procedures

- 1. Inhalation** Remove patient to fresh air and consult a physician. If breathing is difficult, give oxygen. If not breathing give artificial respiration.
- 2. Eyes** Flush eyes immediately with water for at least 15 minutes or until irritation subside, occasionally lifting lower and upper lids. Get medical attention promptly.
- 3. Skin** Wash thoroughly with soap and water. Immediately remove contaminated clothing and wash before reuse. If irritation or rash develops, obtain medical assistance. Immediately remove soaked clothing.
- 4. Ingestion** CALL PHYSICIAN IMMEDIATELY. Do not induce vomiting except at the instruction of a physician. Never give anything by mouth to an unconscious person.

SECTION 7 – SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify Type) None required for normal use.

Ventilation Local Exhaust Maintain adequate ventilation. Mechanical (General) N/A Special N/A Other N/A

Protective Gloves Chemical Resistant Eye Protection Safety Glasses

Other Protective Clothing or Equipment Wash hands after use.

SECTION 8 – SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken Handling and Storage **CAUTION: HARMFUL OR FATAL IF SWALLOWED. HARMFUL IF INHALED.** Contents under pressure. Keep away from heat, sparks and open flames. Do not smoke while using. Avoid breathing vapor. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid contact with clothing. Use only in a well-ventilated area. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling the vapors (contents) may be harmful or fatal. Do not puncture or incinerate containers. Keep out of reach of children. Store in a cool, dry well-ventilated area away from incompatible materials. Store in accordance with **NFPA 30B** for **Level 1 Aerosols**.

Other Precautions Read label cautions carefully. Follow label directions to avoid injury.

Steps to be Taken in Case Material is Released or Spilled Absorb spill with inert material then place in a chemical waste container. Dispose of spill material in accordance with regulations.

Waste Disposal Methods Dispose of in accordance with local, state, and federal regulations.

Proposition 65

WARNING: This product may contain a chemical(s) known to the State of California to cause cancer.

Transportation Info

DOT CLASSIFICATION: HAZARDOUS **PACKING GROUP:** N/A
DESCRIPTION: CONSUMER COMMODITY, ORM-D
UN NUMBER: UN 1950 **HAZARD CLASS:** 2.1

We believe all information given is accurate. It is offered in good faith, but without guarantee. Since conditions are beyond our control, user assumes all responsibility and risk.